

Dendrocalamus asper

Dendrocalamus asper also known as **Rough Bamboo** or **Giant Bamboo** is a giant tropical and subtropical dense clumping species native to Southeast Asia. This timber bamboo is used as a building material for heavy construction, and shoots are consumed as a vegetable.

Summary

Height 15 - 20 m

Diameter 8 - 12 cm

Growth Habit Dense Clumping

Climate Tropical - Subtropical

Hardiness -4°C

Origin Southeast Asia

Photos

















Culms

Dendrocalamus asper has large woody culms between 15-20 m tall and 8-12 cm in diameter, and has relatively thick walls (11-20 mm) which become thinner towards the top of the culm. The lower culms show aerial roots (rootlets) from the nodes. Culm internodes are 40-50cm long, pale green and covered with short brown hairs.

Branches

Many clustered branches with 1 larger central dominant branch usually occur from ca. 9th node up.

Leaves

Leaf-blades are lance-shaped and between 15-30 cm long and 10-25 mm wide.

Seeds

Flowering cycle and seed-setting is reported to be about every 60-100 years. Dendrocalamus asper flowers gregariously although sporadic flowering has been reported.

Habitat

Planted or naturalized from low elevations up to 1,500 m. Dendrocalamus asper thrives best at 400-500 m altitude in areas with average annual rainfall of about 2,400 mm. They grow well on various soil types, even on sandy and rather acidic soils, but prefers well-drained heavy soils.


Uses

Dendrocalamus asper poles are used as a building material and structural timber for heavy construction such as houses and bridges. The culm internodes used as containers for water and other fluids, and as cooking pots.

This bamboo is also used for making laminated boards, furniture, musical instruments, chopsticks, household utensils and handicrafts. Young shoots are sweet and considered a delicious vegetable.



Origin



Native to:

Andaman Is., Bangladesh, Borneo, China South-Central, China Southeast, Jawa, Laos, Lesser Sunda Is., Malaya, Maluku, Myanmar, New Guinea, Philippines, Sulawesi, Sumatera, Taiwan, Thailand, Vietnam

Introduced into:

Bismarck Archipelago, Brazil Northeast, Brazil South, Brazil Southeast, Brazil West-Central, Colombia, Ecuador, Puerto Rico, Sri Lanka

